



**POLLUTION INCIDENT
RESPONSE MANAGEMENT
PLAN FOR
MT MAGOMETON QUARRY**

EPA License No. 1152

ABOUT THIS RELEASE:

Document Number: **Edition 2 Revision 5**

Document Title: Coonamble Shire Council Pollution Incident Response
Management Plan for Mt Magometon Quarry.

REVISION REGISTER

Edition/ Revision	Description	Review Author	Comment	Date	Authorised By
Ed1/Rev0	Issued	Engineer – Roads, Bridges & Operations		30/01/13	Director of Engineering Services
Ed2/Rev1	Issued	Director Engineering Services		27/02/14	Director of Engineering Services
Ed2/Rev 2	Issued	Director Engineering Services		10/04/17	Director of Engineering Services
Ed2/Rev 3	Issued	Quarry Overseer		21/04/21	Executive Leader – Infrastructure
Ed2/Rev 4	Issued	Manager – People, Risk & Improvement		23/09/21	Executive Leader – Infrastructure
Ed2/Rev 5	Issued	Executive Leader - Infrastructure	Additional hazards identified (Noise, dust, exhaust). Contact details updated.	29/06/22	Executive Leader - Infrastructure

Table of Contents

1.0	Objectives.....	1
2.0	Definition of a Pollution Incident	1
3.0	Description and Likelihood of Hazard	2
4.0	Pre-emptive Actions to be Taken	5
5.0	Inventory of Potential Pollutants	6
6.0	Safety Equipment	6
7.0	Contact Details	6
8.0	Communicating with Neighbours and the Local Community	7
9.0	Minimising Harm to Persons on the Premises.....	7
10.0	Actions During or Immediately After Pollution Incident.....	8
11.0	Staff Training.....	8
12.0	Access to this Plan.....	9
13.0	Testing Plans	9
14.0	Implementing this Plan.....	9

Introduction

Council has prepared this plan as required by the *Protection of Environment Operations Act 1997* (PoEO Act). This legislation stipulates that all holders of environment protection licenses must prepare a plan in order to manage pollution incident responses. The plan must be prepared in a form detailed in the associated Regulation and be kept on the premises to which the license relates.

1.0 Objectives

The objectives of this Pollution Incident Response Management Plan (the Plan) are:

- To ensure comprehensive and timely communication about a pollution incident to staff at the premises, other Council staff as appropriate, the Environment Protection Authority (EPA), other relevant authorities and the community that may be affected by impacts of the incident
- Minimise and control risk of a pollution incident by identifying risks and developing planned actions to manage those risks
- Ensure that this Plan is effectively implemented by identifying persons responsible for implementing it, and regularly testing and reviewing it to ensure that it is current and suitable.

2.0 Definition of a Pollution Incident

A pollution incident is defined in s147 of the PoEO Act as:

- a) Harm to the environment is material if:
 - i) it involves actual or potential harm to the health or safety of human beings or to ecosystems that is not trivial, or
 - ii) it results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (or such other amount as is prescribed by the regulations), and
- b) Loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment.

3.0 Notification of Incident

Section 148 of the PoEO Act required, the notification of pollution incidents causing or threatening material harm to be notified to the EPA even if it only

affects the property itself. Notification is to be immediately after an employee becomes aware of the incident. Reporting should be completed by either the Executive Leader – Infrastructure or Quarry Overseer. If they are not available for any reason, another Council employee can report the incident. Reporting can be verbal, followed by written notification within 7 days to the EPA.

Section 50 of the PoEO Act requires the following to be reported:

(1) The relevant information about a pollution incident required under section 148 consists of the following:

- (a) the time, date, nature, duration and location of the incident,
- (b) the location of the place where pollution is occurring or is likely to occur,
- (c) the nature, the estimated quantity or volume and the concentration of any pollutants involved, if known,
- (d) the circumstances in which the incident occurred (including the cause of the incident, if known),
- (e) the action taken or proposed to be taken to deal with the incident and any resulting pollution or threatened pollution, if known,
- (f) other information prescribed by the regulations.

4.0 Description and Likelihood of Hazard

Hazards relevant to this Plan were ranked using the matrices provided below. The process involved firstly ranking the consequence and likelihood of the hazard and then cross referencing the score with the risk assessment matrix to assign a risk level: High, Moderate, or Low.

Example:

A particular hazard could have minor safety implications but have a moderate but reversible short-term environmental impact with remediation estimated to cost around \$2M. Residents are largely unaffected. Therefore the consequence rating is 3 (as the environmental/economic factors ranked highest).

As the event is considered unlikely to happen (possibly because of regular monitoring etc.) then the rank for likelihood is D.

Cross-referencing with the risk assessment matrix gives a hazard rating of 3D a risk level of 'Low'.

Step 1. Assess Consequence and Likelihood of the Hazard

Consequence					Likelihood	
Rank	Safety	Environmental	Economic	Social	Rank	Likelihood
1	Multiple Fatalities (>100)	Disastrous environmental impact, remediation not possible	>\$50M cost	Significant Regional Impact (>10000 residents)	A	Almost certain to happen
2	Major Fatalities (10-100)	Serious environmental impact with medium term effect, major remediation	\$5-50M cost	Minor impact on entire region (>10000 residents) and significant impact on local area (>2000)	B	Likely to happen
3	Fatalities (1-10)	Moderate, reversible environ. impact, short term effect, moderate remediation	\$1-5M cost	Minor impact of local area (>2000) and significant impact on several residents (>100)	C	Could happen occasionally
4	Serious Injuries	Minor, reversible environmental impact, requiring minor remediation	\$0.25-1M cost	Minor impact on several residents (>100) and some impact on residents (>10)	D	Unlikely to happen
5	Minor medical treatment	Negligible, reversible environmental impact, requiring very minor/no remediation	less than \$0.25M	Minor impact on residents (>10)	E	Extremely rare to happen

Step 2. Assign Risk Level based on Hazard Rating

		Likelihood				
		A	B	C	D	E
Consequence	1	High	High	High	Moderate	Moderate
	2	High	High	Moderate	Moderate	Low
	3	High	Moderate	Moderate	Low	Low
	4	Moderate	Moderate	Low	Low	Low
	5	Moderate	Low	Low	Low	Low

Hazard Identification and Risk Level

Hazard Description	Hazard Rating	Risk Level
Diesel	5E	Low
Supa 30 Precoat	5E	Low
Unleaded Petrol	5E	Low
Various Oils	5E	Low
Noise	5E	Low
Excessive Dust	5E	Low
Equipment Exhaust Emissions	5E	Low

5.0 Pre-emptive Actions to be Taken

The following pre-emptive actions shall be implemented to mitigate the hazards identified above.

Hazard Description	Pre-emptive Action
<ul style="list-style-type: none"> • Diesel Spill • Precoat Spill • Unleaded Petrol Spill • Oil Spill • Noise • Excessive Dust • Equipment Exhaust Emissions • Blasting Impacts • Vibration 	<ol style="list-style-type: none"> 1. Spill kits on-site 2. Fire extinguishers located at entrance/exits to storage area 3. Fire extinguishers checked and maintained six monthly - by accredited company 4. Staff trained and drills undertaken in spill kits, fire extinguishers, with refresher training undertaken as required. 5. Quarry operated in accordance with development conditions of consent. 6. Water used for dust suppression. Minimise disturbed areas. 7. Inspect equipment regularly and ensure equipment and plant serviced and maintained to OEM requirements. 8. Develop and implement Blast Management Plan and monitor effectiveness. 9. Monitor sensitive areas and review blast management plan as needed.

6.0 Inventory of Potential Pollutants

The table below details the potential pollutants kept at this site.

Potential Pollutant	Max. Possible Quantity	Storage Details
Diesel	7,000 litres	Underground tank north of Office
Precoat	30,000 litres	Tanks east of Office
Petrol	60 litres	Flammable shed back of Plant Shed
Oil	2,000 litres	Oil shed in Plant Shed

7.0 Safety Equipment

This section details safety equipment at the facility and its location. Appropriate Safety Data Sheets (SDS) and their locality are also registered here.

Safety Equipment	Location
SDS	Workshop
Oil Spill Kit	Oil Shed
Fire Extinguishers	Bowser/Plant Shed/Workshop/ Precoat Area

Hazardous Material	MSDS No.	Locality
Flammable Fuels	2FH	Bowser/Plant Shed/Workshop/ Precoat area

8.0 Contact Details

The following lists key personnel responsible for actioning this plan and managing the response to a pollution incident. Also listed are contact details of relevant authorities that must be notified immediately (meaning promptly and without delay) in order if an incident occurs.

Council Key Personnel		
Name	Title	24-hour contact
Bradley Wright	A/G Quarry Manager	0428 220 001
Daniel Noble	Executive Leader – Infrastructure	0427 271 903

Other Notification Numbers	
Police Ambulance Fire and Rescue	000
EPA	131 555
Coonamble Hospital – Public Health Officer (Office Hours)	02 6827 1100

SafeWork NSW	13 10 50
NSW Fire and Rescue	1300 729 579
Mines Department	02 4063 6500
Neighbouring Properties	
James Nalder	UHF 38 – Phone – 0427 259 535
Ray Williams	UHF 16 – Phone – 0428 256 212

9.0 Communicating with Neighbours and the Local Community

In the event of a pollution incident the level of communication with the community will vary depending upon the nature of the incident. Mechanisms for contacting the community for each identified hazard are provided below.

All media communications must be organised with prior approval of the General Manager's office.

Hazard Description	Level of Consultation	Method of Communication
Diesel Spill Precoat Spill Blast Rock	Local Local Local	<ul style="list-style-type: none"> • Local Radio • Local Newspaper • Phone • Council Website

10.0 Minimising Harm to Persons on the Premises

Procedures to prevent harm to persons at the facility as a result of a pollution incident are detailed in this section. These persons may include employees, members of the public or contractors.

Procedures for identified hazards are:

Hazard Description	Action
Fire – smoke inhalation	<ul style="list-style-type: none"> • Follow Emergency Evacuation Plan • Use UHF radio • Identify the evacuation point for all patrons to congregate
All other hazards	<ul style="list-style-type: none"> • Assess • Stop • Notify • Contain • Mitigate • Clean Up • Review

11.0 Actions During or Immediately After Pollution Incident

This section of the Plan details specific response measures that are to be actioned to contain the magnitude of pollution during and after an incident. Measures are linked to the hazards identified in Section 4.0.

Hazard Description	Action
Flammable Fluid Spill	<ol style="list-style-type: none"> 1. Isolate spill by shutting off valve at base of storage tank 2. Deploy containment boom around extent of spill – erect spill equipment 3. Spread absorbent material over spill 4. Contact Fire & Rescue NSW and/or RFS to assist with containment/clean-up <i>if required</i>. 5. Quarry Manager (or other staff if unavailable) to notify Executive Leader Infrastructure. 6. Assess if notifiable incident to EPA and/or SafeWork NSW. Executive Leader to verbally notify incident in the first instance, or Quarry Manager if EL unavailable. 7. Complete Environmental Incident Form and/or WHS Incident Report Form as relevant.

12.0 Staff Training

All staff entering this facility are required to be inducted on the content of this plan. Staff should be familiar with the hazards and associated procedures should a pollution incident occur. Staff should also be familiar with sections of the plan and how to quickly find contacts and other information such as the location of safety equipment.

This plan should also be reviewed annually in consultation with staff to ensure that the level of training is commensurate with the risk rating and that the plan remains current and suitable. The table that follows outlines training appropriate to this facility and this plan.

Item	Action	Timeframe
Introduction to this plan	Induction	Upon commencement
Review of this Plan	Drill conducted as part of emergency / evacuation procedures. Report prepared and signed as participating.	Annually
Fire Extinguisher / Spill Kits	RTO / In-house	Commencement, annually & every 5 years refresher via RTO.

13.0 Access to this Plan

A copy of this plan is located at the Mt Magometon Quarry and Council's Administration Office. The plan is also available on Council's website www.coonambleshire.nsw.gov.au

14.0 Testing Plans


This plan must be reviewed once every 12 months to ensure that the information contained within is accurate and up to date, as well as within 1 month of a pollution incident.

There are two usual methods for testing. These include desktop simulations which should assist in undertaking a review of this and/or the second method is practical simulations or drills. These will assist in identifying practical shortfalls of the plan and provide opportunities for improvement. Drills/ simulations will involve all staff and be documented through the Emergency Evacuation Drill Report.

15.0 Implementing this Plan

This plan shall be implemented if a pollution incident occurs as defined in Section 2.0. The person(s) responsible for implementing this Plan is identified in Section 8.0.

Site Map



FACILITY
LOCATION &
SURROUNDING
AREA LIKELY TO
BE AFFECTED BY
A POLLUTION
INCIDENT

Main Office Mt Magometon Quarry

